Clear Form

| 1 2 | | | CATHOLIC MUTUA 10843 OLD MILL RD, OMA | | L | |
|-----|---|------------|---|--|---|--|
| 3 | BUILDING REPORT FORM-RESIDENTIAL | | | | | |
| 4 | | | | | DATE_ | |
| 5 | MEMBER # | | LEDGER# | ı | ГЕМ# | |
| 6 | PARISH | | | | | ***** |
| 7 | ADDRESS | | CITY, STATE, ZIP | | | |
| 8 | | | *************************************** | | | |
| 9 | | | | | | |
| 10 | | | | | | |
| 11 | | | | | | |
| 12 | | | ENTS IN THIS ITEM \$ | | | |
| 13 | | | | | | |
| 14 | | | | | | |
| A | NEW CONSTRUCTION | COSTS (| if item has been constructed in la | ast 18 months, please | fill out this section) | v=-2************************************ |
| | CONTRACT COST TO CO | NSTRUCT \$ | · | COMPLETION DA | ТЕ | |
| | if contract costs | | f the following, please indicate | | | |
| | SITE PREPARATION | | • | | | |
| | DEMOLITION COS | - | *** | | **L*********************************** | |
| | PAVING/SIDEWAL | _ | | | | |
| | LANDSCAPING | _ | | | | |
| | ARCHITECT/ENGINEERI | _ | | | | ······································ |
| | VOLUNTEER LABO | _ | | *************************************** | Nestrodesm | |
| | DONATED MATERIA | ALS \$ | | | | |
| | | | | | | |
| В | SUPERSTRUCTUR | RE (| enter square footage calculation | | on page 4) | |
| В | SUPERSTRUCTUR | RE (| enter square footage calculation SQFT | s from building sketch AVERAGE STORY HEIGH | | ETER |
| В | SUPERSTRUCTUR FIRST FLOOR | RE (| | AVERAGE | | ETER |
| В | FIRST FLOOR SECOND FLOOF | | | AVERAGE | | ETER |
| В | FIRST FLOOR SECOND FLOOF THIRD FLOOR | | | AVERAGE | | ETER |
| В | FIRST FLOOR SECOND FLOOF | | | AVERAGE | | ETER |
| В | FIRST FLOOR SECOND FLOOF THIRD FLOOR | ₹ | SQFT | AVERAGE | T PERIM | ETER |
| В | FIRST FLOOR SECOND FLOOF THIRD FLOOR TOTAL | | SQFT | AVERAGE STORY HEIGH | T PERIM | ETER |
| В | FIRST FLOOR SECOND FLOOF THIRD FLOOR TOTAL FINISHED BASEME FINISHED BASEMENT OC UNFINISHED BASEM | R | SQFT | AVERAGE STORY HEIGH | T PERIM | ETER |
| В | FIRST FLOOR SECOND FLOOF THIRD FLOOR TOTAL FINISHED BASEME FINISHED BASEMENT OC UNFINISHED BASEM CRAWL | R | SQFT | AVERAGE STORY HEIGH | T PERIM | ETER |
| В | FIRST FLOOR SECOND FLOOF THIRD FLOOR TOTAL FINISHED BASEME FINISHED BASEMENT OC UNFINISHED BASEM CRAWL SLAB | R | SQFT | AVERAGE STORY HEIGH | T PERIM | ETER |
| В | FIRST FLOOR SECOND FLOOF THIRD FLOOR TOTAL FINISHED BASEME FINISHED BASEMENT OC UNFINISHED BASEM CRAWL | R | SQFT | AVERAGE STORY HEIGH | T PERIM | ETER |
| B | FIRST FLOOR SECOND FLOOF THIRD FLOOR TOTAL FINISHED BASEME FINISHED BASEMENT OC UNFINISHED BASEM CRAWL SLAB | R | SQFT | AVERAGE STORY HEIGH | T PERIM | ETER |
| | FIRST FLOOR SECOND FLOOF THIRD FLOOR TOTAL FINISHED BASEME FINISHED BASEMENT OC UNFINISHED BASEM CRAWL SLAB OTHER | R | SQFT | AVERAGE STORY HEIGH | T PERIM | ETER |
| | FIRST FLOOR SECOND FLOOF THIRD FLOOR TOTAL FINISHED BASEME FINISHED BASEMENT OC UNFINISHED BASEM CRAWL SLAB OTHER | R | SQFT | AVERAGE STORY HEIGH | T PERIM | |
| | FIRST FLOOR SECOND FLOOF THIRD FLOOR TOTAL FINISHED BASEME FINISHED BASEMENT OC UNFINISHED BASEM CRAWL SLAB OTHER EXTERIOR WOOD SIDING | R | SQFT enter as a % T-111 SHEET SIDING | AVERAGE STORY HEIGH | T PERIM | % |
| | FIRST FLOOR SECOND FLOOF THIRD FLOOR TOTAL FINISHED BASEME FINISHED BASEMENT OC UNFINISHED BASEM CRAWL SLAB OTHER EXTERIOR WOOD SIDING VINYL SIDING | R | SQFT enter as a % T-111 SHEET SIDING STUCCO/FRAME | % % % % | ALUMINUM SIDING STUCCO/BLOCK | % % % |
| | FIRST FLOOR SECOND FLOOF THIRD FLOOR TOTAL FINISHED BASEME FINISHED BASEMENT OC UNFINISHED BASEM CRAWL SLAB OTHER EXTERIOR WOOD SIDING VINYL SIDING BRICK/FRAME STONE/FRAME BLOCK | R | SQFT enter as a % T-111 SHEET SIDING STUCCO/FRAME BRICK/BLOCK | % % | ALUMINUM SIDING STUCCO/BLOCK SOLID BRICK | % % % |
| | FIRST FLOOR SECOND FLOOF THIRD FLOOR TOTAL FINISHED BASEME FINISHED BASEMENT OC UNFINISHED BASEM CRAWL SLAB OTHER EXTERIOR WOOD SIDING VINYL SIDING BRICK/FRAME STONE/FRAME | R | SQFT enter as a % T-111 SHEET SIDING STUCCO/FRAME BRICK/BLOCK STONE/BLOCK | % % % % | ALUMINUM SIDING STUCCO/BLOCK SOLID BRICK SOLID STONE | % % % |
| C | FIRST FLOOR SECOND FLOOF THIRD FLOOR TOTAL FINISHED BASEME FINISHED BASEMENT OC UNFINISHED BASEM CRAWL SLAB OTHER WOOD SIDING VINYL SIDING BRICK/FRAME STONE/FRAME BLOCK OTHER | R | soft soft enter as a % T-111 SHEET SIDING STUCCO/FRAME BRICK/BLOCK STONE/BLOCK HARDBOARD SIDING | % % % % | ALUMINUM SIDING STUCCO/BLOCK SOLID BRICK SOLID STONE | % % % |
| | FIRST FLOOR SECOND FLOOF THIRD FLOOR TOTAL FINISHED BASEME FINISHED BASEMENT OC UNFINISHED BASEM CRAWL SLAB OTHER EXTERIOR WOOD SIDING VINYL SIDING BRICK/FRAME STONE/FRAME BLOCK | R | soft soft enter as a % T-111 SHEET SIDING STUCCO/FRAME BRICK/BLOCK STONE/BLOCK HARDBOARD SIDING | % % % % % | ALUMINUM SIDING STUCCO/BLOCK SOLID BRICK SOLID STONE | % % % % |
| C | FIRST FLOOR SECOND FLOOF THIRD FLOOR TOTAL FINISHED BASEME FINISHED BASEMENT OC UNFINISHED BASEM CRAWL SLAB OTHER EXTERIOR WOOD SIDING VINYL SIDING BRICK/FRAME STONE/FRAME BLOCK OTHER ROOF COVER ASPHALT/FIBERGLASS | R | SQFT SQFT Parter as a % T-111 SHEET SIDING STUCCO/FRAME BRICK/BLOCK STONE/BLOCK HARDBOARD SIDING Parter as a % ARCHITECTURAL | % % % % % % | ALUMINUM SIDING STUCCO/BLOCK SOLID BRICK SOLID STONE EIFS WOOD | % % % % |
| C | FIRST FLOOR SECOND FLOOF THIRD FLOOR TOTAL FINISHED BASEME FINISHED BASEMENT OC UNFINISHED BASEM CRAWL SLAB OTHER EXTERIOR WOOD SIDING VINYL SIDING BRICK/FRAME STONE/FRAME BLOCK OTHER ROOF COVER | R | SQFT SQFT Senter as a % T-111 SHEET SIDING STUCCO/FRAME BRICK/BLOCK STONE/BLOCK HARDBOARD SIDING Senter as a % | % % % % % | ALUMINUM SIDING STUCCO/BLOCK SOLID BRICK SOLID STONE EIFS | % % % % |

| E | INTERIOR PARTITION WALL enter as a % | | | | | | | |
|---|--|------------------------|--|--|---|-------------------------------|--|--|
| | DRYWALL BLOCK OTHER | <u>%</u> | PLAST BRIC | | | <u>%</u> F <u>%</u> | PLYWOOD/FIBERBOARD NONE | % % |
| F | INTERIOR WALL FI | NISH | enter as a % | | | | | |
| | PAINT SOLID WOOD PANEL OTHER | <u>%</u> % | | | | <u>%</u> <u>%</u> | SHEET PANELING BRICK FACING NONE | % % % |
| G | CEILING FINIS | 1 | enter as a % | | *************************************** | | | |
| | DRYWALL WOOD PANELING OTHER | <u>%</u> <u>%</u> | PŁAS1 PLYWOOD/FIE | | | <u>%</u> <u>%</u> | TIN NONE | % % % |
| | FLOOR FINISH | | enter as a % | ornani de esta de la constanta | | | | |
| Н | HARDWOOD VINYL TILE PLYWOOD OTHER | % % | CERAMIC | TILE | | % % % | CARPET LAMINATE BRICK NONE | % % % % |
| 1 | HEAT/COOL SYS | TEM | enter as a % | | | | | Change and good in control to the second |
| | FORCED AIR-ELECTRIC HOT WATER FORCED CENTRAL AIR OTHER | % | FORCED A RADIANT FLOO EVAPORATIV | OR SYSTE | | % % % | FORCED AIR-OIL HEAT PUMP WINDOW UNIT NONE | % % % % |
| J | INTERIOR ITEM | S | enter#of | | | A | TTACHED ITEMS | |
| | #KITCHEN (basic, average #FULL BATHS) # 3/4 BATHS # 1/2 BATHS FIREPLACE GAS FIREPLACE HOT TUB JACUZZI WET BAR SPIRAL STAIRCA FINISHED ATTIC (ent | E | | | | AT BAS SO OI SCRE | r as sqft. or dimensions of a TACHED GARAGE UILT IN GARAGE SEMENT GARAGE CARPORT OPEN PORCH CREENED PORCH CLOSED PORCH PEN BREEZEWAY EENED BREEZEWAY WOOD DECK GENED WOOD DECK OTHER | ltached) |
| К | MISCELLANEOUS I | TEMS | enter as a % | | | | TATCHED ITEMS | |
| | INTERIOR SPRINKLEF CENTRAL BURGLAR S CENTRAL VACUUM S FIRE ALARM SYS SECURITY SYST ELEVATOR CHAIR LIFT OTHER | SYSTEM YSTEM FEM | % % % % % % % | | | ente | r as sqft. or dimensions of a GARAGE CARPORT SHED GAZEBO OTHER | uacheu) |
| | ANY ADDITIONAL | DATA | | | | | | |

BUILDING SKETCH

(indicate footprint of item with exterior measurements)

PLOT PLAN

Item # and/or building name of nearest existing structure to new item _____

Indicate distance between new item to nearest existing structure (in feet) __

Sketch to indicate proximity of new item to nearest structure

| | order to maleate proximity of new term to medical directors | | | |
|---|---|---------------------------------|--|---|
| | | | | |
| | | | | |
| | | | | 4 |
| | | | | |
| | | | | |
| | | | | |
| | | | H-1/11/4-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1- | |
| | | | | <u> </u> |
| | | | ra da da la | |
| | | <u> </u> | | |
| | -+:+ - - - - - - - - - - - - - - - - - - | | adajah istoloka bibabi da Libida Libida (Libida) | |
| | | | alaati Hibbiltii bi | |
| | i Libia de la | thitteliitadddidii | aldiketahishisti | |
| | riski kiskiskiski kiskiskiski | | abdaich da dalah kabian | |
| | | | | |
| | u tali bishlamindid | | atterialisti (44) | |
| | | | | |
| | y na farantara i na farantara farantara farantara farantara farantara farantara farantara farantara farantara f O na farantaria farantara a mandara farantara farantara farantara farantara farantara farantara farantara fara | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | Chtiblich in intil biblich | Lister territorist kiristat istal |
| | uutattattiitiitiitiitii | | labelit by Etablic III billion b | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | id bitti bitti bili ka bibib | |
| | | | | Julia de la |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | ng sakatan ta tabbasaki k | | tadodanijiddiddididdidi | 11:41:44:44:44:44:44 |
| | mentoli i labiatabbah | amauradadu 1. Ladaqidi 6. Ladaq | | Tarrich i platici delibilità del |
| | | | | |
| | aliyan kan indahidi | | | 14 14 14 14 14 14 14 14 14 14 14 14 14 1 |
| "有工具大学生工学工程等表面保持的证据等请的管理信息的证据信息使用的表面的证据信息的证据,但是这个意思的证据的证据,但是这种证据的证据,这个证据的证据的证据的 | | | <u> </u> | 4 : 44 |
| | THE PERSONAL PROPERTY OF THE P | THEFT CONTRACTORS | mana can bahampan b | |

Building Report Guide - Residential (12/08)

| Line 1 Line 2 | | ort is part of the permanent file. | | | |
|------------------|---|------------------------------------|--|--|--|
| Line 4 | Mail the completed form to this name and address. Date form completed. | | | | |
| Line 5 | | (number) | | | |
| Zine 5 | • | _ (number) | | | |
| | Item | (number) | | | |
| T | _ _ _ | | | | |
| Line 6 | Name of parish or loca | tion. | | | |
| Line 7 | Mailing address of pari | sh or location. | | | |
| Line 8 | | appear on the ledger page. | | | |
| Line 9 | Indicate use of item (church/hall/dwelling/rental). | | | | |
| Line 10 | Address of item. | , | | | |
| Line 11 | Year item was built. | | | | |
| Line 12 | Value of all moveable of | contents in structure. | | | |

Section A New Construction

This section is to be completed only if the item is of new construction and less than 18 months old. Indicate contract cost to complete construction of building including all change orders. If available or known include costs for site prep/demo, paving/sidewalk, landscape, architect fees, & estimate value of volunteer labor and donated materials if any.

Section B Super Structure

This section should be used for all items. Indicate square footage of floors, calculated from sketch (on page 4).

If unable to calculate from sketch, indicate in first floor section to "refer to sketch". Include story height of walls & perimeter of each floor. Total square footage is floor totals added together.

Indicate amount of basement square footage finished, and describe use of finished area. Indicate amount of basement square footage unfinished or percent below main floor, if other than basement indicate type of foundation and amount of square footage.

*No miscellaneous (attached garage, enclosed porch, wood deck, etc) should be included in square footage.

Section C Exterior Finish

Indicate type of /or percentage of exterior finish Must equal 100%.

Section D Roof Cover

Indicate type of/or percentage of roof cover Must equal 100%.

Section E Interior Partition Wall

Indicate type of /or percentage of interior partition wall finish cover Must equal 100%.

Section F Interior Wall Finish

Indicate type of/or percentage of interior finish cover Must equal 100%.

Section G Ceiling Finish

Indicate type of/or percentage of Ceiling finish Must equal 100%.

Section H Floor Finish

Indicate type of /or percentage of Floor finish Must equal 100%.

Section I Heat/Cooling System

Indicate type of/or percentage of Heat/Cooling systems Must equal 100%.

Section J Interior/Attached Items

Indicate number of interior items. Attached items should be entered with dimensions.

Section K Miscellaneous/Detached Items

Indicate any miscellaneous items. Detached items should be entered with dimensions.

Section L Building Sketch

Draw sketch of building, using exterior measurement, each floor should be indicated along with basement. Include exterior amenities (covered entry, porch, wood decks, etc) on sketch.

Section M Plot Plan

Draw site plan to indicate distance of items from each other. Buildings and distance do not need to be to scale, as long as accurate distance is given between structures. Items on plot plans should be identified by ledger page number and name.