

# Preventative Maintenance Checklist

## Daily

*Please initial and date upon completion of each item checked.*

<b><i>Wet or snowy days:</i></b> Clean up water around entrances and on steps right after school starts, just before lunch, and just before dismissal.						
Check all stoves, hood filters, and cooking areas to insure they are properly cleaned to remove grease and inflammable waste.						
Check exit lights.						
Check all outside lights.						
Vacuum carpets (in heavy traffic areas, classrooms, offices, etc.).						
Pick up all trash around buildings.						
Clean up around dumpster.						
<b><i>Cold Weather Precautions:</i></b> If heat is left on, check to see that it is still on. Pipes under sinks are usually on the outside walls. Open the cabinet doors so heat can get to these pipes.						
Use salt and shovel to clean a path on each set of steps when there is ice on the ground. Path should be next to the handrail.						
<b><i>Check all portable heating units to insure they:</i></b> (1) are not a tripping hazard; (2) don't overload a circuit.						

# Preventative Maintenance Checklist

## Weekly

*Please initial and date upon completion of each item checked.*

<i>Week ending:</i>						
Check gauge on fire extinguishers.						
Check smoke detectors.						
Water all shrubs and trees (if it hasn't rained that week).						
Drain water from air compressor.						
Blow down boiler.						
Check plumbing in all commodes.						
Check all sinks for leaks.						
Pour water in bathroom floor drains.						
Cut grass.						
Check lights – fluorescent/incandescent.						



# Preventative Maintenance Checklist

## 3 Months – 6 Months - Yearly

*Please initial and date upon completion of each item checked.*

	Every 3 months			Every 3 months			Every 3 months			Every 3 months		
Change oil in air compressor.												
Clean heating & air conditioning coils.												
Clean filters.												
Lubricate bearings and shaft.												
Leave heat on in vacant buildings, or turn off the water and drain the pipes.												
Check fuses/breakers.												
Check motors/connections.												
	<b>Every 6 months</b>						<b>Every 6 months</b>					
Clean carpets.												
Oil fan motor.												
Blow down water heaters.												
Remove and clean out P-traps.												
Inspect roof.												
Clean out gutters.												
Check weather stripping on doors and windows.												
	<b>Yearly</b>						<b>Check roof drains for blockage after every heavy rain</b>					
Termite inspection/treatment (outside contractor).												
Fire extinguishers checked (outside contractor).												
Clean entire heating/air condition unit.												
Check panel identification.												
Check receptacles.												